



CATALOGUE OF STANDARD MATERIALS FOR RESIDENCE VAŇKOVKA PROJECT

WOODEN FLOORS




Wooden floors in the historical part of the building

Wooden floor DUB STANDARD, 3 segments

Wooden three-layer flooring in natural wood shade with medium amount of knots. The floor surface is treated with a structural semi-matt lacquer.



PEDROSS 40x16 cubica skirting board, oak veneer, lacquer



Technical parameters

Weight:	8.5 kg
Set:	<u>STANDARD</u>
Wood:	<u>oak</u>
Shade:	<u>natural</u>
Surface treatment:	<u>painting</u>
Type of paint:	<u>semi-matt lacquer</u>
Tile pattern:	<u>parquet, 3-strip</u>
Length:	<u>2,200 mm</u>
Width:	<u>207 mm</u>
Thickness:	<u>14 mm</u>
Wear layer:	<u>2.5 mm</u>
Appearance class:	4 - STANDARD
Knottiness:	<u>medium</u>
Dyeing:	<u>no</u>
Milled edge:	<u>no</u>
Brushing:	<u>no</u>
Hardness:	<u>37 MPa</u>
Package contents:	3.18 m²
Sublayer for underfloor heating:	yes
Thermal resistance:	0.10 m² K/W
Type of joint:	interlocking

Contact information, showroom and technical support

VAŠÍN PODLAHY s.r.o.

Showroom

Řípská 20a, 627 00 Brno

Showroom: +420 608 111 178

Technical support: +420 777 577 529

e-mail: florian@vasin-podlahy.cz

www.vasin-podlahy.cz